

B.

UNITED STATES ENVIRONMENTAL PROTECTION AGENCY

REGION VI  
1600 PATTERSON, SUITE 1100  
DALLAS, TEXAS 75201

JUN 29 1974

RECEIVED

JUL 8 1974

CERTIFIED MAIL: RETURN RECEIPT REQUESTED (652037)

LA WILD LIFE & FISHERIES COMM.  
Div. of Water Pollution Control

Mr. Gus Athanas  
District Production Superintendent  
Amoco Production Company  
Amoco Building  
P. O. Box 50879  
New Orleans, Louisiana 70150

Re: Application to Discharge to Waters of the United States  
Permit No. LA0002470

Dear Mr. Athanas:

The enclosed National Pollutant Discharge Elimination System (NPDES) permit regulating the discharge of pollutants from your facility to the waters of the United States is hereby issued pursuant to the NPDES regulations as promulgated in the Federal Register, May 22, 1973.

Should you have any questions concerning any part of the permit, please feel free to contact the Permits Branch here in Region VI, telephone 214/749-1983.

Sincerely yours,

/s/ George R. Alexander, Jr.

for Arthur W. Busch  
Regional Administrator

Enclosure

cc: Louisiana Stream Control Commission

PN: 6-21-74  
WQC: 8-5-74

Permit No. LA-0002470  
Application No. LA-LMN-OXK-000341

**AUTHORIZATION TO DISCHARGE UNDER THE  
NATIONAL POLLUTANT DISCHARGE ELIMINATION SYSTEM**

In compliance with the provisions of the Federal Water Pollution Control Act, as amended,  
(33 U.S.C. 1251 et. seq; the "Act"),

Amoco Production Company

is authorized to discharge from a facility located at

South Thornwell Plant near Welsh, Louisiana

to receiving waters named

Lacassine Bayou via a canal

in accordance with effluent limitations, monitoring requirements and other conditions set forth  
in Parts I, II, and III hereof.

This permit shall become effective on July 1, 1974

This permit and the authorization to discharge shall expire at midnight, June 30, 1979

Signed this 29th day of June, 1974.

for,

Arthur W. Busch  
Regional Administrator

# A. EFFLUENT LIMITATIONS AND MONITORING REQUIREMENTS

During the period beginning the effective date and lasting through 7-1-74, the permittee is authorized to discharge from outfall(s) ~~xxxxxx~~ 001.

Such discharges shall be limited and monitored by the permittee as specified below:

Effluent Characteristic	Discharge Limitations				Monitoring Requirements	
	kg/day (lbs/day)		Other Units (Specify)		Measurement Frequency	Sample Type
Flow—m <sup>3</sup> /Day (MGD)	Daily Avg	Daily Max	Daily Avg	Daily Max		
pH	—	—	—	—	daily	grab
BOD <sub>5</sub>	N/A	N/A	N/A	N/A	once/2 weeks	grab
COD	3 (6)	4 (7)	N/A	N/A	once/2 weeks	grab
Oil & Grease	24 (52)	30 (65)	N/A	N/A	once/2 weeks	grab
Total Chromium	2 (3)	2 (4)	N/A	N/A	once/2 weeks	grab
Zinc	2.01 (4.42)	2.01 (4.42)	N/A	N/A	once/2 weeks	grab
	0.12 (0.26)	0.12 (0.26)	N/A	N/A	once/2 weeks	grab

The pH shall not be less than 6.0 standard units nor greater than 9.0 standard units and shall be monitored

There shall be no discharge of floating solids or visible foam in other than trace amounts.

Samples taken in compliance with the monitoring requirements specified above shall be taken at the following location(s):

The discharge location specified on the Refuse Act Permit Application No. LA-LMN-0XK-000341.

PART I

Page 2 of 10  
Permit No. LA-0002470



**PART I**

Page 4 of 10

Permit No. LA-0002470

**B. SCHEDULE OF COMPLIANCE**

1. The permittee shall achieve compliance with the effluent limitations specified for discharges in accordance with the following schedule:

Attainment of operational level by 7-1-74

2. No later than 14 calendar days following a date identified in the above schedule of compliance, the permittee shall submit either a report of progress or, in the case of specific actions being required by identified dates, a written notice of compliance or noncompliance. In the latter case, the notice shall include the cause of noncompliance, any remedial actions taken, and the probability of meeting the next scheduled requirement.

## C. MONITORING AND REPORTING

### 1. *Representative Sampling*

Samples and measurements taken as required herein shall be representative of the volume and nature of the monitored discharge.

### 2. *Reporting*

Monitoring results obtained during the previous 3 months shall be summarized for each month and reported on a Discharge Monitoring Report Form (EPA No. 3320-1), postmarked no later than the 28th day of the month following the completed reporting period. The first report is due on . Duplicate signed copies of these, and all other reports required herein, shall be submitted to the Regional Administrator and the State at the following addresses:

Environmental Protection Agency  
Region VI  
1600 Patterson, Suite 1142  
Dallas, Texas 75201

Louisiana Stream Control Commission  
Drawer FC, University Station  
Baton Rouge, Louisiana 70803

### 3. *Definitions*

- a. The "daily average" discharge means the total discharge by weight during a calendar month divided by the number of days in the month that the production or commercial facility was operating. Where less than daily sampling is required by this permit, the daily average discharge shall be determined by the summation of all the measured daily discharges by weight divided by the number of days during the calendar month when the measurements were made.
- b. The "daily maximum" discharge means the total discharge by weight during any calendar day.

### 4. *Test Procedures*

Test procedures for the analysis of pollutants shall conform to regulations published pursuant to Section 304(g) of the Act, under which such procedures may be required.

### 5. *Recording of Results*

For each measurement or sample taken pursuant to the requirements of this permit, the permittee shall record the following information:

- a. The exact place, date, and time of sampling;
- b. The dates the analyses were performed;
- c. The person(s) who performed the analyses;

**PART I**

Page 6 of 10

Permit No. LA-0002470

- d. The analytical techniques or methods used; and
- e. The results of all required analyses.

**6. *Additional Monitoring by Permittee***

If the permittee monitors any pollutant at the location(s) designated herein more frequently than required by this permit, using approved analytical methods as specified above, the results of such monitoring shall be included in the calculation and reporting of the values required in the Discharge Monitoring Report Form (EPA No. 3320-1). Such increased frequency shall also be indicated.

**7. *Records Retention***

All records and information resulting from the monitoring activities required by this permit including all records of analyses performed and calibration and maintenance of instrumentation and recordings from continuous monitoring instrumentation shall be retained for a minimum of three (3) years, or longer if requested by the Regional Administrator or the State water pollution control agency.

**A. MANAGEMENT REQUIREMENTS****1. *Change in Discharge***

All discharges authorized herein shall be consistent with the terms and conditions of this permit. The discharge of any pollutant identified in this permit more frequently than or at a level in excess of that authorized shall constitute a violation of the permit. Any anticipated facility expansions, production increases, or process modifications which will result in new, different, or increased discharges of pollutants must be reported by submission of a new NPDES application or, if such changes will not violate the effluent limitations specified in this permit, by notice to the permit issuing authority of such changes. Following such notice, the permit may be modified to specify and limit any pollutants not previously limited.

**2. *Noncompliance Notification***

If, for any reason, the permittee does not comply with or will be unable to comply with any daily maximum effluent limitation specified in this permit, the permittee shall provide the Regional Administrator and the State with the following information, in writing, within five (5) days of becoming aware of such condition:

- a. A description of the discharge and cause of noncompliance; and
- b. The period of noncompliance, including exact dates and times; or, if not corrected, the anticipated time the noncompliance is expected to continue, and steps being taken to reduce, eliminate and prevent recurrence of the noncomplying discharge.

**3. *Facilities Operation***

The permittee shall at all times maintain in good working order and operate as efficiently as possible all treatment or control facilities or systems installed or used by the permittee to achieve compliance with the terms and conditions of this permit.

**4. *Adverse Impact***

The permittee shall take all reasonable steps to minimize any adverse impact to navigable waters resulting from noncompliance with any effluent limitations specified in this permit, including such accelerated or additional monitoring as necessary to determine the nature and impact of the noncomplying discharge.

**5. *Bypassing***

Any diversion from or bypass of facilities necessary to maintain compliance with the terms and conditions of this permit is prohibited, except (i) where unavoidable to prevent loss of life or severe property damage, or (ii) where excessive storm drainage or runoff would damage any facilities necessary for compliance with the effluent limitations and prohibitions of this permit. The permittee shall promptly notify the Regional Administrator and the State in writing of each such diversion or bypass.



**PART II**

Page 8 of 10  
Permit No. LA-0002470

**6. *Removed Substances***

Solids, sludges, filter backwash, or other pollutants removed in the course of treatment or control of wastewaters shall be disposed of in a manner such as to prevent any pollutant from such materials from entering navigable waters.

**7. *Power Failures***

In order to maintain compliance with the effluent limitations and prohibitions of this permit, the permittee shall either:

- a. In accordance with the Schedule of Compliance contained in Part I, provide an alternative power source sufficient to operate the wastewater control facilities;  
or, if such alternative power source is not in existence, and no date for its implementation appears in Part I,
- b. Halt, reduce or otherwise control production and/or all discharges upon the reduction, loss, or failure of the primary source of power to the wastewater control facilities.

**B. RESPONSIBILITIES**

**1. *Right of Entry***

The permittee shall allow the head of the State water pollution control agency, the Regional Administrator, and/or their authorized representatives, upon the presentation of credentials:

- a. To enter upon the permittee's premises where an effluent source is located or in which any records are required to be kept under the terms and conditions of this permit; and
- b. At reasonable times to have access to and copy any records required to be kept under the terms and conditions of this permit; to inspect any monitoring equipment or monitoring method required in this permit; and to sample any discharge of pollutants.

**2. *Transfer of Ownership or Control***

In the event of any change in control or ownership of facilities from which the authorized discharges emanate, the permittee shall notify the succeeding owner or controller of the existence of this permit by letter, a copy of which shall be forwarded to the Regional Administrator and the State water pollution control agency.

**3. *Availability of Reports***

Except for data determined to be confidential under Section 308 of the Act, all reports prepared in accordance with the terms of this permit shall be available for public

**PART II**

Page 9 of 10  
Permit No. LA-0002470

inspection at the offices of the State water pollution control agency and the Regional Administrator. As required by the Act, effluent data shall not be considered confidential. Knowingly making any false statement on any such report may result in the imposition of criminal penalties as provided for in Section 309 of the Act.

**4. *Permit Modification***

After notice and opportunity for a hearing, this permit may be modified, suspended, or revoked in whole or in part during its term for cause including, but not limited to, the following:

- a. Violation of any terms or conditions of this permit;
- b. Obtaining this permit by misrepresentation or failure to disclose fully all relevant facts; or
- c. A change in any condition that requires either a temporary or permanent reduction or elimination of the authorized discharge.

**5. *Toxic Pollutants***

Notwithstanding Part II, B-4 above, if a toxic effluent standard or prohibition (including any schedule of compliance specified in such effluent standard or prohibition) is established under Section 307(a) of the Act for a toxic pollutant which is present in the discharge and such standard or prohibition is more stringent than any limitation for such pollutant in this permit, this permit shall be revised or modified in accordance with the toxic effluent standard or prohibition and the permittee so notified.

**6. *Civil and Criminal Liability***

Except as provided in permit conditions on "Bypassing" (Part II, A-5) and "Power Failures" (Part II, A-7), nothing in this permit shall be construed to relieve the permittee from civil or criminal penalties for noncompliance.

**7. *Oil and Hazardous Substance Liability***

Nothing in this permit shall be construed to preclude the institution of any legal action or relieve the permittee from any responsibilities, liabilities, or penalties to which the permittee is or may be subject under Section 311 of the Act.

**8. *State Laws***

Nothing in this permit shall be construed to preclude the institution of any legal action or relieve the permittee from any responsibilities, liabilities, or penalties established pursuant to any applicable State law or regulation under authority preserved by Section 510 of the Act.

**9. *Property Rights***

The issuance of this permit does not convey any property rights in either real or personal property, or any exclusive privileges, nor does it authorize any injury to private property or any invasion of personal rights, nor any infringement of Federal, State or local laws or regulations.

**10. *Severability***

The provisions of this permit are severable, and if any provision of this permit, or the application of any provision of this permit to any circumstance, is held invalid, the application of such provision to other circumstances, and the remainder of this permit, shall not be affected thereby.

**PART III**

**OTHER REQUIREMENTS**

NONE